




CompAir

by Gardner Denver

Reliability & efficiency without compromise

Rotary Screw Compressors



Premium compressor design
and industry leading warranty

L30 - L45
L30^e - L45^e
L30RS - L45RS

The next generation of efficiency

The new L-Series from CompAir

Well known in the industry for quality and reliability, CompAir continuously develops the L-Series achieving cutting edge performance and efficiency. The new versatile range from 30 to 45 kW can be configured to meet the customers' efficiency requirements. The e-models feature a larger airend delivering highest efficiency levels. The regulated speed models save energy by matching the output to the plant air demand.

▶ **Pressure range**
5 to 13 bar

▶ **Volume flow**
1.33 to 8.67 m³/min

▶ **Motor power**
30 to 45 kW

Engineering excellence

Compressors are more than just a financial investment, they are a key component in ensuring that manufacturers, processors and operators receive consistent, high quality low cost air.

The screw compression element is the heart of the compressor and therefore CompAir keeps the design and manufacture in-house, using the latest CNC rotor grinding machinery, coupled with online laser technology. The resulting reliability and performance ensures that operating costs will remain low throughout the compressor's life.



GERMAN
ENGINEERING
DESIGN & MANUFACTURE

Premium efficiency airends

Our premium efficiency airends are designed and **manufactured in house** on the latest CNC grinding machines and using accurate 3D monitoring technology for the inspection. CompAir's airends are designed to match the exact requirements of the machines and achieve the max performance and reliability. The unique integrated design with oil filter and oil regulation valve included in the airend housing **eliminates the risk of leakage** and simplifies maintenance. Using the 3 O-rings unique design of the fail safe seal system we **minimise the down time** of the compressor by indicating the need of replacement before breakdown. Depending on the required efficiency level this range is available with standard and premium size airend. The larger airend achieves up to **6% energy savings** compared to the standard size airend.





Delcos XL innovative touch screen compressor controller


The Delcos XL with its high resolution touch screen display is extremely user-friendly and self-explanatory. All functions are clearly structured in five main menus and are intuitively visual. The multilingual Delcos XL control system ensures reliable operation and protects your investment by continuously monitoring the operational parameters, which is essential for reducing your running costs.

Exceptional reliability and performance

- ▶ **Large surface after cooler**
Optimum cooling to ensure low operating and discharge temperatures.
- ▶ **Next generation separator filter**
Ample dimensioned filtration for constant performance throughout the lifetime delivering an oil carryover of less than 3ppm.
- ▶ **High efficiency electric motor**
The compressors are equipped with a premium efficiency electric motor.
- ▶ **Thermostatically controlled motor driven fan**
Highly efficient and extremely quiet fan allows compressor operation in the work place, plus the use of maximum duct length without further assistance.
- ▶ **Highest quality connections**
Solid hoses and pipe connections with viton victaulic couplings increase reliability and are easy to maintain.

Features & functions



- Home Page – instant overview of the compressor status
- Real Time Clock – allows pre-setting of compressor starting/stopping
- Second Pressure Setting
- Integrated Cooling and Dryer Control
- Fault History Log – for in-depth analysis
- Remote Control via Programmable Inputs
- Auto Restart after Power Failure
- Optional Base Load Sequencing
- SD Card – stores several run characteristics
- iConn enabled



Trend diagrams

With the ability to display detailed system analysis in the form of trend diagrams and graphs, operating parameters can be precisely set to maximise efficiency.


- Line / Network Pressure
- Motor Speed (Regulated Speed)
- On Load Hours / Total Hours Run & Average Volume Flow
- Weekly Average Volume Flow




Where efficiency matters

An investment that pays off

The e-models of the L-Series feature an extra large airend with optimised rotor tip speed achieving up to 6% energy savings.




The largest cost component of a compressor is the energy to run it. The reduction of energy costs significantly impacts on the total costs of ownership.



The additional investment costs for this range of super efficient compressors will **pay back in many cases in less than 12 months**. The extra large airend also has a longer life expectancy.

Regulated speed compressors

The regulated speed models can efficiently and reliably handle the varying air demand found in most plant air systems. The annual **cost of ownership can be significantly reduced** using regulated speed technology.



CompAir RS features are your benefits

The L-RS Series products are designed to obtain the greatest efficiency across the entire operating range.

Wide regulation range

No cycles means substantial energy savings.

Perfect motor - drive - airend design

High efficiency across broad flow range.

“Efficiency comes as standard with these compressors. Maximum levels of efficiency can be attained with the new "e" and Regulated Speed models.”


Add further value

Integrated heat recovery

Significant energy and costs savings can be achieved with CompAir's efficient integrated heat recovery system. It can be either factory fitted or supplied as retrofit kit including all necessary pipe-work and fittings.



Hot Water



Heating



Industrial Process



Hot Air Blast

iConn Industry 4.0 solution

The L-Series is equipped with iConn as a standard. iConn is the smart, proactive real-time monitoring service that delivers in-depth and real-time knowledge on the system to our compressed air users. It enables accurate production planning and total peace-of-mind protection, generating insight and statistics that keep users informed on performance, at the same time highlighting potential issues before they become a problem.

- Condition based monitoring
- Predictive maintenance required
- Full Air Manufacturing Control Optimisation
- External data pattern integration



Compressed air purification

A modern production system and process demands increasing levels of air quality. A CompAir compressed air system utilising the latest technology provides an energy efficient solution at lowest life cycle costs.

Water Cyclone Separator X Series

Designed for efficient removal of bulk liquid contamination from compressed air.



Compressed Air Filter CF Series

Efficient design for water, dust and particle removal.

Condensate Drain Bekomat System

To drain compressed air condensate without loss of compressed air.

Compressed Air Refrigerant Dryer

CompAir offer a full range of energy efficient and environmentally friendly stand alone refrigerant dryers.



Heatless Desiccant Dryers

Series A_XS and A_TX.

Heat Regenerative Desiccant Dryers

Series A_TV and A_RS.



Nitrogen Generator

Designed to achieve maximum efficiency and gas quality.

SmartAir Master Multi Compressor Controllers

Sequencers for up to 12 units.



The best investment protection you can get



Compact design – easy installation

The small footprint reduces the space required for installation.

Easy servicing

The design of these packages ensures that the service points are readily accessible. The enclosure side doors are hinged and removable to allow complete access to all service points. The reduced number of moving parts further lowers the maintenance costs.

CompAir genuine spare parts

Enjoy complete peace of mind.

Genuine CompAir parts and lubricants ensure that compressed air plant reliability and efficiency is maintained at the highest standards. CompAir spare parts and lubricants are distinguished by:

- Long service life, even under harshest conditions
- Minimum losses contributing to energy savings
- High reliability improves plant up-time
- Products manufactured with the strictest Quality Assurance Systems



10 Years Warranty!

The CompAir Assure Warranty and Service programmes will assure you up to 44,000 hours/10 years ¹⁾. It is one of the most generous warranties available in the industry affording you total piece of mind.

Your benefits:

- The Assure warranty is totally free to the compressor owner ²⁾
- The CompAir authorised service provider will deliver a guaranteed quality of service
- An Assure service agreement underpinning the warranty will enable accurate maintenance, budgeting and cost of ownership
- The use of genuine CompAir parts and lubricants will maximise compressor life and efficiency

¹⁾ Warranty duration is limited to 6 years/44,000 hours on the whole package, 10 years/44,000 hours on the air end. Whichever is the soonest.

²⁾ subject to Terms & Conditions

CompAir L-Series – Technical Data

L30 – L45 Fixed speed

Compressor Model	Nominal Pressure [bar g]	Drive Motor [kW]	FAD ¹⁾ [m³/min]	Noise Level ²⁾ [dB(A)]	Weight [kg]	Dimensions L x W x H [mm]
L30	7.5	30	5.75	67	887	1722x920x1659
	10		5.01			
	13		4.27			
L37	7.5	37	7.00	68	912	1722x920x1659
	10		6.17			
	13		5.30			
L45	7.5	45	8.00	69	953	1722x920x1659
	10		7.00			
	13		6.11			

L30° – L45° Efficiency version, fixed speed

Compressor Model	Nominal Pressure [bar g]	Drive Motor [kW]	FAD ¹⁾ [m³/min]	Noise Level ²⁾ [dB(A)]	Weight [kg]	Dimensions L x W x H [mm]
L30°	7.5	30	6.00	67	954	1722x920x1659
	10		5.17			
L37°	7.5	37	7.12	67	979	1722x920x1659
	10		6.31			
L45°	7.5	45	8.67	67	1020	1722x920x1659
	10		7.54			

L30RS – L45RS Regulated speed

Compressor Model	Nominal Pressure [bar g]	Drive Motor [kW]	FAD ¹⁾ Min - Max [m³/min]	Noise Level ²⁾ at 70% load [dB(A)]	Weight [kg]	Dimensions L x W x H [mm]
L30RS	5 - 10	30	1.33 – 5.53	66	925	1722 x 920 x 1659
L37RS	5 - 13	37	1.41 – 6.90	67	952	1722 x 920 x 1659
L45RS	5 - 13	45	1.41 – 8.02	70	974	1722 x 920 x 1659

¹⁾ Data measured and stated in accordance with ISO 1217, Edition 4, Annex C and Annex E and the following conditions:
Air Intake Pressure 1 bar a, Air Intake Temperature 20°C, Humidity 0 % (Dry).

²⁾ Measured in free field conditions in accordance with ISO 2151, tolerance ± 3dB (A).



Global experience – truly local service

With over 200 years of engineering excellence, the CompAir brand offers an extensive range of highly reliable, energy efficient compressors and accessories to suit all applications.

An extensive network of dedicated CompAir sales companies and distributors across all continents provide global expertise with a truly local service, ensuring our advanced technology is backed up with the right support.

As part of the worldwide Gardner Denver operation, CompAir has consistently been at the forefront of compressed air systems development, culminating in some of the most energy efficient and low environmental impact compressors on the market today, helping customers achieve or surpass their sustainability targets.



CompAir compressed air product range

Advanced Compressor Technology Lubricated

- Rotary Screw
 - > Fixed and Regulated Speed
- Piston
- Portable

Oil-Free

- Water Injected Screw
 - > Fixed and Regulated Speed
- Two Stage Screw
 - > Fixed and Regulated Speed
- Piston
- High Speed Centrifugal - Quantima®
- Rotary Scroll

Complete Air Treatment Range

- Filter
- Refrigerant and Desiccant Dryer
- Condensate Management
- Heat of Compression Dryer
- Nitrogen Generator

Modern Control Systems

- CompAir DELCOS Controllers
- SmartAir Master Sequencer
- iConn - Smart Flow Management

CompAir policy is one of continuous improvement and we therefore reserve the right to alter specifications and prices without prior notice. All products are sold subject to the Company's conditions of sale.

Value Added Services

- Professional Air Audit
- Performance Reporting
- Leak Detection

Leading Customer Support

- Custom Engineered Solutions
- Local Service Centres
- Genuine CompAir Parts and Lubricants